





































Simaran

ردیف	مدل	مشخصات فنی	تصویر	قیمت مصرف کننده (ریال)
		IR 4in1 Camera		
1	SM-AR828HZ	1/2.5" SONY CMOS Sensor 8MP(3840*2160)@15fps/5MP@20fps/4MP@30fps high resolution TVI/AHD/CVI/CVBS 2.8-12mm motorized lens/ 0.01LUX/ 50m IR 12VDC/ICR/COC,3DNR,BLC,AWB,D&N,Sharpness,Smart IR, Metal IP67		92,125,000
2	SM-IR348VF	1/2.9" SONY CMOS Sensor 2MP(1920*1080) TVI/AHD/CVI/CVBS 2.8-12 mm VF lens /0.01LUX/40m IR 12VDC/ICR/D-WDR,Brightness, Sharpness, Shutter,AGC,BLC,D&N,Defog,3DNR,AWB,UTC Metal IP66		43,000,000
 CV - Warm Light Full Color Camera				
3	SM-CVH539A	1/2.5" CMOS Sensor/ 5MP (2592*1944)@20fps TVI& AHD& CVI - 24/7 full color imaging 3.6mm Fixed lens /0.3LUX/ 40m white light view distance DC12V/COC/DWDR, 1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66		47,000,000
4	SM-CVH553A	1/2.5" CMOS Sensor/ 5MP (2592*1944)@20fps TVI& AHD& CVI - 24/7 full color imaging 3.6mm Fixed lens /0.3LUX/ 40m white light view distance DC12V/COC/DWDR, 1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66		51,000,000
5	SM-CVM541A	1/2.9" CMOS Sensor/ 5MPLite (2592*1944)@20fps TVI& AHD& CVI& CVBS- 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/ 20~30m white light view distance DC12V/COC/DWDR, 1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66		41,000,000
6	SM-CVM552A	1/2.9" CMOS Sensor/ 5MPLite (2592*1944)@20fps TVI& AHD& CVI& CVBS - 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/ 20~30m white light view distance DC12V/COC/DWDR, 1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66		47,200,000

7	SM-CVM518A	1/2.9" CMOS Sensor/5MPLite (2592*1944)@20fps TVI& AHD& CVI& CVBS - 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/20m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Plastic	 	33,000,000
Dual Light- HD Camera				
8	NEW SM-HD522DMA	1/2.7" Progressive CMOS 5MP(2608*1960)@20fps/4MP-2MP@25fps TVI,AHD,CVI,CVBS/3.6mm fixed Lens/DWDR/0.04 Lux@ F1.0 , Dual light camera 20m Warm light view distance; 30m IR view distance 2D DNR,AWB, HLC, BLC,AGC,COC 12VDC/1CH built-in MIC IP67(Metal)	 	67,000,000
9	NEW SM-HD521DMA	1/2.7" Progressive CMOS 5MP(2608*1960)@20fps/4MP-2MP@25fps TVI,AHD,CVI,CVBS/2.8mm fixed Lens/DWDR/0.04 Lux@ F1.0 , Dual light camera 20m Warm light view distance; 30m IR view distance 2D DNR,AWB, HLC, BLC,AGC,COC 12VDC/1CH built-in MIC IP67(Metal)	 	67,000,000
10	NEW SM-HD222DMA	1/3" Progressive CMOS 2MP(1920*1080)@25fps TVI,AHD,CVI,CVBS/3.6mm fixed Lens/DWDR/0.08 Lux@ F1.0 , Dual light camera 20m Warm light view distance; 30m IR view distance 3D DNR,AWB, HLC, BLC,AGC,COC 12VDC/1CH built-in MIC IP67(Metal)	 	53,000,000
11	NEW SM-HD221DMA	1/3" Progressive CMOS 2MP(1920*1080)@25fps TVI,AHD,CVI,CVBS/2.8mm fixed Lens/DWDR/0.08 Lux@ F1.0 , Dual light camera 20m Warm light view distance; 30m IR view distance 3D DNR,AWB, HLC, BLC,AGC,COC 12VDC/1CH built-in MIC IP67(Metal)	 	53,000,000
XVR				
12	NEW SM-XRN1040L5	4CH TVI&AHD&CVI: 5MP Lite@20fps, 4MP Lite, 1080P, 720P real time preview & Record 5MP Lite@20fps, 4MP Lite/1080P/720P@25fps(PAL)/ 1CH(Up to 5CH) IP Up to 2MP(25fps) H.265 /HDD SATAx1, up to 10TB/HDMI/USB 2.0 x 2/ P2P(ScamVU)/DDNS/Network RJ45 100Mbps x 1 - Max 20/32 Mbps incoming/Outgoing bandwidth Support coaxial audio- Without web Motion Detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 	85,800,000

13	<p>NEW</p> <p>SM-XRN1080L5</p>	<p>8CH TVI&AHD&CVI: 5MP Lite@12fps, 1080N/720P real time preview & Record 5MP Lite@12fps, 1080N/720P:25fps/ 2CH(Up to 10CH) IP Up to 2MP(25fps) H.265/HDD SATAx1, up to 10TB HDMI/USB2.0*2/P2P(ScamVU)/DDNS/ Network RJ45 100Mbps x 1 - Max 40/56 Mbps incoming/Outgoing bandwidth Support coaxial audio- Without web Motion Detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی</p>	<p>AOC</p> 	<p>95,700,000</p>
14	<p>NEW</p> <p>SM-XRN1160L5</p>	<p>16CH TVI&AHD&CVI: 5MP Lite@12fps, 4MP Lite@15fps, 1080N,720P real time preview & Record 5MP Lite@6fps, 4MP Lite@9fps, 1080N@15fps, 720P@18fps/ 4CH IP Up to 2MP(25fps) H.265/HDD SATAx1, up to 10TB HDMI/USB2.0*2/P2P(ScamVU)/DDNS/ Network RJ45 100Mbps x 1 - Max 16/64 Mbps incoming/Outgoing bandwidth Support coaxial audio Motion Detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی</p>	<p>AOC</p> 	<p>174,900,000</p>
15	<p>NEW</p> <p>SM-XRN1044M5-AI</p> 	<p>4CH TVI&AHD&CVI: 5MP Lite@20fps, 4MP Lite,1080P,720P real time preview & Record 5MP Lite@20fps, 4MP Lite,1080P,720P@25fps(PAL)/ 2CH(Up to 6CH) IP Up to 5MP(25fps) H.265/ 4 in-1 out Audio /HDD SATAx1, up to 10TB/ 4K HDMI-VGA-CVBS/USB 2.0 x 2/ RS485 x 1 /P2P(ScamVU)/DDNS/Network RJ45 100Mbps x 1 - Max 24/48 Mbps incoming/Outgoing bandwidth Support coaxial audio AI Functions:Perimeter Intrusion Detection/Line Crossing Detection/Human&Vehicle Detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی</p>	<p>AOC</p>  	<p>132,300,000</p>
16	<p>NEW</p> <p>SM-XRN1084M5-AI</p> 	<p>8CH TVI&AHD&CVI: 5MP Lite@20fps, 4MP Lite,1080P,720P real time preview & Record 5MP Lite@15fps, 4MP Lite@20fps,1080P@18fps,720P@25fps(PAL)/ 4CH (Up to 12CH) IP Up to 5MP(25fps) H.265/ 4 in-1 out Audio /HDD SATAx1, up to 10TB/ 4K HDMI-VGA-CVBS/USB 2.0 x 2/ RS485 x 1 /P2P(ScamVU)/DDNS/Network RJ45 100Mbps x 1 - Max 48/64 Mbps incoming/Outgoing bandwidth Support coaxial audio AI Functions:Perimeter Intrusion Detection/Line Crossing Detection/Human&Vehicle Detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی</p>	<p>AOC</p>  	<p>171,600,000</p>

17	<p>NEW</p> <p>SM-XRN1164M5-AI</p> 	<p>16CH TVI&AHD&CVI: 5MP Lite@20fps, 4MP Lite,1080P,720P real time preview & Record 5MP Lite@12fps, 4MP Lite,1080P@15fps, 720P@25fps/ 4CH (Up to 20CH) IP Up to 5MP(25fps) H.265/ 4 in-1 out Audio/ HDD SATAx1, up to 10TB/ 4K HDMI-VGA/ USB 2.0*1, USB 3.0*1 /RS485 x 1 / P2P(ScamVU)/DDNS/Network RJ45 1000Mbps x 1 - Max 80/96 Mbps incoming/Outgoing bandwidth Support coaxial audio AI Functions :Perimeter Intrusion Detection/Line Crossing Detection/Human&Vehicle Detection/Face Recognition <i>قابلیت پشتیبانی از تقویم شمسی و منوی فارسی</i></p>	<p>AOC</p>   	392,700,000
18	<p>NEW</p> <p>SM-XRN1044H4K-AI</p> 	<p>4CH TVI&AHD&CVI: 4K@15fps; 5MP@20fps; 4MP,1080P,720P real time preview & Record 4K@7fps, 5MP@12fps, 4MP@15fps, 1080P@25fps/ 2CH (Up to 6CH) IP Up to 4K(25fps) H.265/ 4 in-1 out Audio/ 4 in-1 out Alarm HDD SATAx1, up to 10TB/ 4K HDMI-VGA-CVBS USB 2.0 x 2/ RS485 x 1/ P2P(ScamVU)/DDNS/Network RJ45 100Mbps x 1 - Max 36/48 Mbps incoming/Outgoing bandwidth Support coaxial audio AI Functions : Perimeter Intrusion Detection/Line Crossing Detection/Human&Vehicle Detection <i>قابلیت پشتیبانی از تقویم شمسی و منوی فارسی</i></p>	<p>AOC</p>   	184,800,000
19	<p>NEW</p> <p>SM-XRN1084H4K-AI</p> 	<p>8CH TVI&AHD&CVI: 4K@15fps; 5MP@20fps; 4MP,1080P,720P real time preview & Record 4K@10fps, 5MP@14fps, 4MP@18fps, 1080P@25fps/ 4CH (Up to 12CH) IP Up to 4K(25fps) H.265/ 8 in-1 out Audio/ 8 in-1 out Alarm HDD SATAx1, up to 10TB/ 4K HDMI-VGA-CVBS/ USB 2.0 x 2/ RS485 x 1 / P2P(ScamVU)/DDNS/Network RJ45 100Mbps x 1 - Max 96/96 Mbps incoming/Outgoing bandwidth Support coaxial audio AI Functions:Perimeter Intrusion Detection/Line Crossing Detection/Human&Vehicle Detection/Face Recognition <i>قابلیت پشتیبانی از تقویم شمسی و منوی فارسی</i></p>	<p>AOC</p>   	359,700,000
20	<p>NEW</p> <p>SM-XRN21616H4K-AI</p> 	<p>16CH TVI&AHD&CVI: 4K@15fps; 5MP@20fps; 4MP,1080P,720P real time preview & Record 4K@10fps, 5MP@15fps, 4MP@20fps, 1080P@25fps/ 8CH(Up to 24CH) IP Up to 4K(25fps) H.265/ 16 in-1 out Audio/ 16 in-1 out Alarm/ HDD SATAx2, up to 10TB, ESATAx 1 / 4K HDMI-VGA- CVBS/USB 3.0x1; USB2.0x1 /RS485 x 1/ P2P(ScamVU)/DDNS/Network RJ45 100Mbps x 1 - Max 144/192 Mbps incoming/Outgoing bandwidth Support coaxial audio AI Functions:Perimeter Intrusion Detection/Line Crossing Detection/Human&Vehicle Detection/Face Recognition <i>قابلیت پشتیبانی از تقویم شمسی و منوی فارسی</i></p>	<p>AOC</p>   	732,600,000

21	<p>NEW</p> <p>SM-XRN4328P5-AI</p> 	<p>32CH TVI&AHD&CVI: 5MP Lite@20fps; 4MP Lite,1080P,720P real time preview & Record 5MP Lite@15fps, 4MP Lite@20fps, 1080P@15fps, 720P@25fps/ 4CH(Up to 32CH) IP Up to 5MP(25fps)</p> <p>H.265/ 8 in-1 out Audio/ 16 in-1 out Alarm/ HDD SATA× 4, up to 10TB, ESATA× 1 / 4K HDMI-VGA-CVBS/USB 3.0×1; USB2.0×1 /RS485 × 1/ P2P(ScamVU)/DDNS/Network RJ45 1000Mbps × 2 - Max 128/216 Mbps incoming/Outgoing bandwidth</p> <p>Support coaxial audio</p> <p>AI Functions: Perimeter Intrusion Detection/Line Crossing Detection/Region Detection/sound Detection/Human&Vehicle Detection/Face Recognition/video tempering</p> <p>قابلیت پشتیبانی از تقویم شمسی و منوی فارسی</p>	<p>AOC</p>   	861,300,000
		کابل		
22	<p>SM-A52U64P</p>	<p>کابل شبکه UTP CAT6 مغزی آلومینیوم مسوار 0/52 8 رشته (هر رشته 1 عدد مفتول) - (4Pairs) 1 عدد حلقه 305 متری</p>		485,000
		دزدگیر		
23	<p>SM-CP520</p>	<p>مرکز کنترل دزدگیر 4 زون با سیم + 1 زون بی سیم (با قابلیت گسترش) کنترل دستگاه از طریق تماس، پیامک و نرم افزار IOS و ANDROID 20 حافظه تلفن (GSM, SMS) 2 عدد خروجی قابل کنترل با پیام کوتاه و صوتی زون 24 ساعته و حالت نیمه فعال و دینگ دانگ و تاخیری 1 خروجی AUX جهت تغذیه تجهیزات دسترسی آسان به تنظیمات دستگاه از طریق پنل دزدگیر دسترسی به منو از طریق پسورد دارای سیستم هشدار سیگنال مزاحم</p>		139,600,000
24	<p>SM-SD440PR</p>	<p>چشمی دزدگیر حرکتی باسیم Nicera500 BP Sensor type ولتاژ کاری 9 الی 15 ولت 14 متر برد آشکار سازی 140 درجه زاویه آشکار سازی passive infrared دارای قابلیت تنظیم میزان حساسیت قابلیت تنظیم LED بصورت ON/OFF مجهز به ورودی Tamper دارای انتخاب NC - NO خروجی آلارم رله</p>		14,800,000

25	SM-SD450PR	<p>چشمی دزدگیر حرکتی باسیم HLI 968 Sensor type ولتاژ کاری 9 الی 15 ولت 14 متر برد آشکار سازی 140 درجه زاویه آشکار سازی passive infrared دارای قابلیت تنظیم میزان حساسیت قابلیت تنظیم LED بصورت ON/OFF مجهز به ورودی Tamper دارای انتخاب NC خروجی آلارم الکترونیکی</p>		18,800,000
26	SM-D433WS1	<p>چشمی دزدگیر حرکتی بیسیم به همراه باطری passive infrared (Nicera500 BP Sensor type) فرکانس کاری 433 مگاهرتز 14 متر برد آشکار سازی 140 درجه زاویه آشکار سازی قابلیت تنظیم زون , قابلیت کد دهی , دارای آنتن جهت افزایش برد مازول - دارای کلید تست</p>		20,500,000
27	NEW SM-MD203S	<p>چشمی دزدگیر حرکتی باسیم HLI 968 Sensor type D203S Sensor type ولتاژ کاری 9 الی 15 ولت 20 متر برد آشکار سازی 130 درجه زاویه آشکار سازی passive infrared دارای انتخاب NC-NE جهت تنظیم میزان حساسیت قابلیت تنظیم LED بصورت ON/OFF مجهز به ورودی Tamper خروجی آلارم الکترونیکی</p>		12,000,000
28	اسپیکر دزدگیر	<p>ولتاژ کاری 9 الی 12 ولت دارای پایه برای تنظیم جهت صدای خروجی 25 وات 8 اهم</p>		7,100,000
29	محفظه اسپیکر	<p>محفظه اسپیکر فلزی بسیار مقاوم INDOOR / OUTDOOR مقاوم در برابر بارش باران، مقاوم در برابر ضربه، ابعاد مناسب</p>		2,700,000

کلیه محصولات لیست با گارانتی شرکت سیماران می باشند



simaran_camera



cctv_simaran